DO NOT PRINT THIS PAGE

REVISIONS			
REV.	DESCRIPTION	ECN	DATE
Α	RELEASED TO PRODUCTION	E000358	2015-08-18

REFERENCE ONLY, PLEASE USE AI / EPS FOR PRINTING

PANTONE CYAN







A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED. DRAWN BY DATE 2015-02-25 ALTEN

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SCA GLOBAL HYGIENE CATEGORY. ANY REPRODUCTION IN PART OR AS

REFER TO ECN FOR APPROVALS AND DATES

PROJECTION FIRST ANGLE





IN MILLIMETERS [INCHES] AND TOLERANCES FOR

LINEAR: $.X = \pm .79$ [.031] ANGULAR: ±2°





SCA GLOBAL HYGIENE CATEGORY

DESCRIPTION

ARTWORK, INSTRUCTION MANUAL EU

STATE RELEASED PREVIOUS PART NUMBER N/A **REVISION** SHFFT DWG NO. 0013000 Α N/A

SCA TEMPLATE SHORT

with Intuition™ Sensor





























































Warnings

- · Children should not be allowed to play with the appliance
- The maximum and minimum ambient temperatures for correct operation are 0 to 50 degrees Celsius (32 to 122 degrees Farenheit)
- This dispenser is not suitable for installation outdoors or in wet environments. It is not water-resistant
- · Operating sound level of the dispenser is less than 70dBa

Disposal

- · Damaged or malfunctioning product should be disposed of immediately to avoid potential of injury
- · Products should be disposed of in accordance with applicable regulations

Cleaning instructions

· Please take necessary precautions during maintenance operations. Clean dispenser as needed. Wipe to clean using a soft, lint free towel. Use water and mild detergent (exterior surfaces only)

European community design registration RCD 002601922

